

# SAFETY DATA SHEET

LEAK DETECTOR SPRAY

Page 1

Issued: 05/10/2004

Revision No: 1

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** LEAK DETECTOR SPRAY

**Synonyms:** LDN500

LDN16P

**Use / description of product:** No significant hazard.

**Company name:** Specialised Aerosols Company Limited

Carr Green Lane

Mapplewell

Barnsley

South Yorkshire

S75 6DY

Tel: 01226 387101

Fax: 01226 387100

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

## 3. HAZARDS IDENTIFICATION

**Main hazards:** No significant hazard.

**Other hazards:** This is an aerosol product - use only in well-ventilated areas. Always wash hands after use. Repeated exposure may cause skin dryness or cracking. ALWAYS READ CONTAINER WARNINGS.

## 4. FIRST AID MEASURES (SYMPTOMS)

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** Nausea and stomach pain may occur.

**Inhalation:** Inhalation of liquid will cause drowning.

## 4. FIRST AID MEASURES (ACTION)

**Skin contact:** Wash skin with soap and water. Seek medical attention if skin appears damaged.

**Eye contact:** NEVER USE AEROSOLS NEAR EYES/MUCOUS MEMBRANES. Immediately wash out the eye with plenty of water for at least 10 minutes holding the eye open. Seek medical attention if symptoms persist.

**Ingestion:** Unlikely. May cause nausea and discomfort. Carry out gastric lavage to reduce discomfort. The contents would tend to be absorbed by the body with no significant effects, particularly in these concentrations. Treat sympathetically. Seek medical advice

**Inhalation:** Inhalation of liquid will cause drowning. Nitrogen propellant is unlikely to carry risks in use.

## 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** CO2, BCF, Dry Powder, Sand or earth. For larger fires use foam, water fog or spray, avoiding contamination. Use water to cool undamaged stock only. Avoid contamination of the water courses where damaged stock is leaking.

[cont...]

**SAFETY DATA SHEET**

## LEAK DETECTOR SPRAY

**Exposure hazards:** Pressurised aerosols should not be exposed to temperature exceeding 50C. Above this containers may explode and the resultant flammable mixture will burn to produce CO<sub>2</sub>.

**Protection of fire-fighters:** Positive pressure breathing apparatus should be used.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Spillage is unlikely in large quantities with an aerosol product. Contents may cause staining and it should be expected that marks will not be able to be removed.

**Environmental precautions:** In the concentrations within 1-1000 cans the components would not present an environmental hazard as most of the product is water which would eventually evaporate, leaving only the residue.

**Clean-up procedures:** In small quantities any liquid should be absorbed into a suitable media, such as sand and disposed of safely. The residue should be washed with soapy water, though staining should be expected.

**7. HANDLING AND STORAGE**

**Handling requirements:** In general handling aerosols should not be considered as hazardous.

**Storage conditions:** Always store aerosols away from sources of heat, including direct sunlight and in dry conditions. Avoid extremes of temperature and moisture. A stable, cool dry ambient environment is most suitable. Avoid contamination with other products. The containers will not last indefinitely even when stored in a cool dry area, they should be inspected periodically during long-term storage.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Protective gloves.

**Eye protection:** Safety goggles.

**Skin protection:** Protective clothing with elasticated cuffs and closed neck. Boots made of PVC.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Aerosol

**Colour:** Pale yellow

**Odour:** Barely perceptible odour

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Soluble

**Viscosity:** Viscous

**Boiling point/range°C:** >100

**Melting point/range°C:** >-20

**Relative density:** 0.98kg/m<sup>3</sup>

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Sources of ignition. Avoid extremes of temperature. Sun light and extreme freezing. Avoid exposure to moisture, which may cause container deterioration and pH, where acidity may

**SAFETY DATA SHEET**

LEAK DETECTOR SPRAY

damage container integrity. Avoid sudden impacts, which may damage container integrity.  
 Avoid contact with water, acids high temperatures. Container corrosion may occur with time and damaged containers should be disposed of before any danger is evident.

**Materials to avoid:** Water. Acids. Oxidising agents.

**11. TOXICOLOGICAL INFORMATION**

**Chronic toxicity:** Inhalation. Skin and/or eye contact.

**Routes of exposure:** THIS IS DESIGNED FOR EXTERNAL USE ONLY. Essentially, when used in this aerosol form, there are no potential toxic effects. Deliberate inhalation may cause severe pulmonary and breathing difficulty, dizziness (narcosis) and headaches (but this is unlikely in normal use), and would constitute abuse. Skin and eye irritation may result from continued exposure to vapours when used in areas of poor ventilation, or when working in close proximity to the spray for prolonged periods, and suitable steps should be taken to avoid such conditions. Low oral toxicity.

**12. ECOLOGICAL INFORMATION**

**Mobility:** This product will evaporate quickly to the air. A yellow liquid, easily absorbed, will evaporate and leave an oily residue. The oily residue will present no other significant hazards, with no dangerous products arising from degradation.

**Persistence and degradability:** Degradation will be relatively slow though ultimately almost complete.

**Bioaccumulative potential:** Accumulation is unlikely once physical breakdown commences.

**Other adverse effects:** Short and long term effects should not be considered significant. No effects on plant or animals are indicated. There is no ozone depletion, ozone creation or global warming potential. Water treatment plants would not be affected by small to medium volumes of this material.

**13. DISPOSAL CONSIDERATIONS**

**Disposal of packaging:** Do not puncture or incinerate/burn, even after use.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION**

**ADR / RID**

**UN no:** 1950 **ADR Class:** 2.2

**Shipping name:** AEROSOLS NON-FLAMMABLE (capacity less than 1 litre) LIMITED

**IMDG / IMO**

**UN no:** 1950 **Marine pollutant:** 203

**IATA / ICAO**

**UN no:** 1950 **Class:** 2.2

**Packing instructions:** 203

## SAFETY DATA SHEET

LEAK DETECTOR SPRAY

### 15. REGULATORY INFORMATION

**Hazard symbols:** No significant hazard.

**Precautionary phrases:** Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

### 16. OTHER INFORMATION

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.